
Insulated cord end terminals, HI...ERHL type

FEATURES & BENEFITS

- thin-walled cord end terminal Cu, with insulation sleeve, for multi-wire flexible cables
- insulating sleeve: enhances resistance to vibrations, mitigates short-circuit risk, facilitates cable installation
- insulation colours facilitate cross-section identification





MECHANICAL DATA

Insulation	polypropylene
Material	Cu
Halogen-free	yes
Surface	tin-plated
Operating temperature [°C]	-30 ÷ +105

CERTIFICATES & STANDARDS

UL certificate	E493579 (according to table in the technical data sheet)
Design	DIN 46228/4 (according to table in the technical data sheet)
Type Approval Certificate PRS	TE/1137/880567/25

NOTE!

Other lengths and colours on request.

UL certificate - for up-to-date information, visit www.ergom.com

Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L_1	L_2	d_1	d_2	s_1	s_2	Insulation colour	DIN	UL	Quantity in package [pcs]	Weight [kg]
HI 0,14/6 ERHL (500 PCS)	E08KH-02010100100	0,14	26	10	6	0,70	1,6	0,15	0,25	grey	–	–	500	0,02
HI 0,14/6 ERHL (100 PCS)	E08KH-02010100102	0,14	26	10	6	0,70	1,6	0,15	0,25	grey	–	–	100	0,01
HI 0,14/6 F ERHL (500 PCS)	E08KH-02010100201	0,14	26	10	6	0,70	1,6	0,15	0,25	brown	–	–	500	0,02
HI 0,14/6 F ERHL (100 PCS)	E08KH-02010110201	0,14	26	10	6	0,70	1,6	0,15	0,25	brown	–	–	100	0,01
HI 0,14/8 ERHL (500 PCS)	E08KH-02010100151	0,14	26	12	8	0,70	1,6	0,15	0,25	grey	–	–	500	0,02
HI 0,14/8 ERHL (100 PCS)	E08KH-02010100153	0,14	26	12	8	0,70	1,6	0,15	0,25	grey	–	–	100	0,01
HI 0,14/8 F ERHL (500 PCS)	E08KH-02010100251	0,14	26	12	8	0,70	1,6	0,15	0,25	brown	–	–	500	0,02
HI 0,14/8 F ERHL (100 PCS)	E08KH-02010100253	0,14	26	12	8	0,70	1,6	0,15	0,25	brown	–	–	100	0,01
HI 0,25/6 ERHL (500 PCS)	E08KH-02010100301	0,25	24	10	6	0,75	1,8	0,15	0,25	blue	–	–	500	0,03
HI 0,25/6 ERHL (100 PCS)	E08KH-02010110301	0,25	24	10	6	0,75	1,8	0,15	0,25	blue	–	–	100	0,01
HI 0,25/6 DIN ERHL (500 PCS)	E08KH-02010100401	0,25	24	10	6	0,75	1,8	0,15	0,25	yellow	–	–	500	0,03
HI 0,25/6 DIN ERHL (100 PCS)	E08KH-02010110401	0,25	24	10	6	0,75	1,8	0,15	0,25	yellow	–	–	100	0,01
HI 0,25/6 F ERHL (500 PCS)	E08KH-02010100501	0,25	24	10	6	0,75	1,8	0,15	0,25	violet	–	–	500	0,03
HI 0,25/6 F ERHL (100 PCS)	E08KH-02010110501	0,25	24	10	6	0,75	1,8	0,15	0,25	violet	–	–	100	0,01
HI 0,25/8 DIN ERHL (500 PCS)	E08KH-02010100701	0,25	24	12	8	0,75	1,8	0,15	0,25	yellow	–	–	500	0,03
HI 0,25/8 DIN ERHL (100 PCS)	E08KH-02010110701	0,25	24	12	8	0,75	1,8	0,15	0,25	yellow	–	–	100	0,01
HI 0,25/8 F ERHL (500 PCS)	E08KH-02010100801	0,25	24	12	8	0,75	1,8	0,15	0,25	violet	–	–	500	0,03
HI 0,25/8 F ERHL (100 PCS)	E08KH-02010110801	0,25	24	12	8	0,75	1,8	0,15	0,25	violet	–	–	100	0,01
HI 0,25/8 ERHL (500 PCS)	E08KH-02010100601	0,25	24	12	8	0,75	1,8	0,15	0,25	blue	–	–	500	0,03
HI 0,25/8 ERHL (100 PCS)	E08KH-02010110601	0,25	24	12	8	0,75	1,8	0,15	0,25	blue	–	–	100	0,01
HI 0,34/6 ERHL (500 PCS)	E08KH-02010100901	0,34	22	10	6	0,80	2,0	0,15	0,25	turquoise	–	–	500	0,03
HI 0,34/6 ERHL (100 PCS)	E08KH-02010110901	0,34	22	10	6	0,80	2,0	0,15	0,25	turquoise	–	–	100	0,01
HI 0,34/6 F ERHL (500 PCS)	E08KH-02010101001	0,34	22	10	6	0,80	2,0	0,15	0,25	rose	–	–	500	0,03
HI 0,34/6 F ERHL (100 PCS)	E08KH-02010111001	0,34	22	10	6	0,80	2,0	0,15	0,25	rose	–	–	100	0,01
HI 0,34/8 ERHL (500 PCS)	E08KH-02010101101	0,34	22	12	8	0,80	2,0	0,15	0,25	turquoise	–	–	500	0,03
HI 0,34/8 ERHL (100 PCS)	E08KH-02010111201	0,34	22	12	8	0,80	2,0	0,15	0,25	turquoise	–	–	100	0,01
HI 0,34/8 F ERHL (500 PCS)	E08KH-02010101201	0,34	22	12	8	0,80	2,0	0,15	0,25	rose	–	–	500	0,03
HI 0,34/8 F ERHL (100 PCS)	E08KH-02010111101	0,34	22	12	8	0,80	2,0	0,15	0,25	rose	–	–	100	0,01

Date of publication: 21/10/2026

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws. Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights. ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.

Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L_1	L_2	d_1	d_2	s_1	s_2	Insulation colour	DIN	UL	Quantity in package [pcs]	Weight [kg]
HI 0,5/6 ERHL (500 PCS)	E08KH-02010101301	0,5	20	12	6	1,00	2,6	0,15	0,25	orange	–	–	500	0,04
HI 0,5/6 ERHL (100 PCS)	E08KH-02010111301	0,5	20	12	6	1,00	2,6	0,15	0,25	orange	–	–	100	0,01
HI 0,5/6 DIN ERHL (500 PCS)	E08KH-02010101401	0,5	20	12	6	1,00	2,6	0,15	0,25	white	√	–	500	0,04
HI 0,5/6 DIN ERHL (100 PCS)	E08KH-02010111401	0,5	20	12	6	1,00	2,6	0,15	0,25	white	√	–	100	0,01
HI 0,5/8 ERHL (500 PCS)	E08KH-02010101501	0,5	20	14	8	1,00	2,6	0,15	0,25	orange	–	–	500	0,04
HI 0,5/8 ERHL (100 PCS)	E08KH-02010111521	0,5	20	14	8	1,00	2,6	0,15	0,25	orange	–	–	100	0,01
HI 0,5/8 DIN ERHL (500 PCS)	E08KH-02010101601	0,5	20	14	8	1,00	2,6	0,15	0,25	white	√	–	500	0,04
HI 0,5/8 DIN ERHL (100 PCS)	E08KH-02010111621	0,5	20	14	8	1,00	2,6	0,15	0,25	white	√	–	100	0,01
HI 0,5/10 ERHL (500 PCS)	E08KH-02010101701	0,5	20	16	10	1,00	2,6	0,15	0,25	orange	–	–	500	0,04
HI 0,5/10 ERHL (100 PCS)	E08KH-02010111701	0,5	20	16	10	1,00	2,6	0,15	0,25	orange	–	–	100	0,01
HI 0,5/10 DIN ERHL (500 PCS)	E08KH-02010101801	0,5	20	16	10	1,00	2,6	0,15	0,25	white	√	–	500	0,04
HI 0,5/10 DIN ERHL (100 PCS)	E08KH-02010111801	0,5	20	16	10	1,00	2,6	0,15	0,25	white	√	–	100	0,01
HI 0,75/6 ERHL (500 PCS)	E08KH-02010101900	0,75	18	12	6	1,20	2,8	0,15	0,25	white	–	–	500	0,04
HI 0,75/6 ERHL (100 PCS)	E08KH-02010101902	0,75	18	12	6	1,20	2,8	0,15	0,25	white	–	–	100	0,01
HI 0,75/6 DIN ERHL (500 PCS)	E08KH-02010102001	0,75	18	12	6	1,20	2,8	0,15	0,25	grey	√	–	500	0,04
HI 0,75/6 DIN ERHL (100 PCS)	E08KH-02010112001	0,75	18	12	6	1,20	2,8	0,15	0,25	grey	√	–	100	0,01
HI 0,75/6 F ERHL (500 PCS)	E08KH-02010102101	0,75	18	12	6	1,20	2,8	0,15	0,25	blue	–	–	500	0,04
HI 0,75/6 F ERHL (100 PCS)	E08KH-02010112101	0,75	18	12	6	1,20	2,8	0,15	0,25	blue	–	–	100	0,01
HI 0,75/8 ERHL (500 PCS)	E08KH-02010102200	0,75	18	14	8	1,20	2,8	0,15	0,25	white	–	–	500	0,04
HI 0,75/8 ERHL (100 PCS)	E08KH-02010102202	0,75	18	14	8	1,20	2,8	0,15	0,25	white	–	–	100	0,01
HI 0,75/8 DIN ERHL (500 PCS)	E08KH-02010102300	0,75	18	14	8	1,20	2,8	0,15	0,25	grey	√	√	500	0,04
HI 0,75/8 DIN ERHL (100 PCS)	E08KH-02010102302	0,75	18	14	8	1,20	2,8	0,15	0,25	grey	√	√	100	0,01
HI 0,75/8 F ERHL (500 PCS)	E08KH-02010102400	0,75	18	14	8	1,20	2,8	0,15	0,25	blue	–	–	500	0,04
HI 0,75/8 F ERHL (100 PCS)	E08KH-02010112401	0,75	18	14	8	1,20	2,8	0,15	0,25	blue	–	–	100	0,01
HI 0,75/10 ERHL (500 PCS)	E08KH-02010102501	0,75	18	16	10	1,20	2,8	0,15	0,25	white	–	–	500	0,05
HI 0,75/10 ERHL (100 PCS)	E08KH-02010112501	0,75	18	16	10	1,20	2,8	0,15	0,25	white	–	–	100	0,01
HI 0,75/10 DIN ERHL (500 PCS)	E08KH-02010102601	0,75	18	16	10	1,20	2,8	0,15	0,25	grey	√	–	500	0,05
HI 0,75/10 DIN ERHL (100 PCS)	E08KH-02010112601	0,75	18	16	10	1,20	2,8	0,15	0,25	grey	√	–	100	0,01
HI 0,75/10 F ERHL (500 PCS)	E08KH-02010102701	0,75	18	16	10	1,20	2,8	0,15	0,25	blue	–	–	500	0,05
HI 0,75/10 F ERHL (100 PCS)	E08KH-02010112701	0,75	18	16	10	1,20	2,8	0,15	0,25	blue	–	–	100	0,01
HI 0,75/12 ERHL (500 PCS)	E08KH-02010102801	0,75	18	18	12	1,20	2,8	0,15	0,25	white	–	–	500	0,05
HI 0,75/12 ERHL (100 PCS)	E08KH-02010112801	0,75	18	18	12	1,20	2,8	0,15	0,25	white	–	–	100	0,01
HI 0,75/12 DIN ERHL (500 PCS)	E08KH-02010102901	0,75	18	18	12	1,20	2,8	0,15	0,25	grey	√	–	500	0,05
HI 0,75/12 DIN ERHL (100 PCS)	E08KH-02010112901	0,75	18	18	12	1,20	2,8	0,15	0,25	grey	√	–	100	0,01
HI 0,75/12 F ERHL (500 PCS)	E08KH-02010103001	0,75	18	18	12	1,20	2,8	0,15	0,25	blue	–	–	500	0,05
HI 0,75/12 F ERHL (100 PCS)	E08KH-02010113001	0,75	18	18	12	1,20	2,8	0,15	0,25	blue	–	–	100	0,01
HI 1/6 ERHL (500 PCS)	E08KH-02010103100	1	18	12	6	1,40	3,0	0,15	0,25	yellow	–	–	500	0,05
HI 1/6 ERHL (100 PCS)	E08KH-02010103102	1	18	12	6	1,40	3,0	0,15	0,25	yellow	–	–	100	0,01
HI 1/6 DIN ERHL (500 PCS)	E08KH-02010103200	1	18	12	6	1,40	3,0	0,15	0,25	red	√	√	500	0,05
HI 1/6 DIN ERHL (100 PCS)	E08KH-02010103202	1	18	12	6	1,40	3,0	0,15	0,25	red	√	√	100	0,01
HI 1/8 ERHL (500 PCS)	E08KH-02010103300	1	18	14	8	1,40	3,0	0,15	0,25	yellow	–	–	500	0,05
HI 1/8 ERHL (100 PCS)	E08KH-02010103302	1	18	14	8	1,40	3,0	0,15	0,25	yellow	–	–	100	0,01
HI 1/8 DIN ERHL (500 PCS)	E08KH-02010103400	1	18	14	8	1,40	3,0	0,15	0,25	red	√	√	500	0,05
HI 1/8 DIN ERHL (100 PCS)	E08KH-02010103402	1	18	14	8	1,40	3,0	0,15	0,25	red	√	√	100	0,01
HI 1/10 ERHL (500 PCS)	E08KH-02010103500	1	18	16	10	1,40	3,0	0,15	0,25	yellow	–	–	500	0,06
HI 1/10 ERHL (100 PCS)	E08KH-02010103502	1	18	16	10	1,40	3,0	0,15	0,25	yellow	–	–	100	0,02
HI 1/10 DIN ERHL (500 PCS)	E08KH-02010103600	1	18	16	10	1,40	3,0	0,15	0,25	red	√	√	500	0,06
HI 1/10 DIN ERHL (100 PCS)	E08KH-02010103602	1	18	16	10	1,40	3,0	0,15	0,25	red	√	√	100	0,02
HI 1/12 ERHL (500 PCS)	E08KH-02010103700	1	18	18	12	1,40	3,0	0,15	0,25	yellow	–	–	500	0,06
HI 1/12 ERHL (100 PCS)	E08KH-02010103702	1	18	18	12	1,40	3,0	0,15	0,25	yellow	–	–	100	0,02
HI 1/12 DIN ERHL (500 PCS)	E08KH-02010103800	1	18	18	12	1,40	3,0	0,15	0,25	red	√	√	500	0,06
HI 1/12 DIN ERHL (100 PCS)	E08KH-02010103802	1	18	18	12	1,40	3,0	0,15	0,25	red	√	√	100	0,02
HI 1,5/6 DIN ERHL (500 PCS)	E08KH-02010103901	1,5	16	12	6	1,70	3,5	0,15	0,25	black	–	–	500	0,07
HI 1,5/8 ERHL (500 PCS)	E08KH-02010104000	1,5	16	14	8	1,70	3,5	0,15	0,25	red	–	–	500	0,08
HI 1,5/8 ERHL (100 PCS)	E08KH-02010104002	1,5	16	14	8	1,70	3,5	0,15	0,25	red	–	–	100	0,02
HI 1,5/8 DIN ERHL (500 PCS)	E08KH-02010104100	1,5	16	14	8	1,70	3,5	0,15	0,25	black	√	√	500	0,08
HI 1,5/8 DIN ERHL (100 PCS)	E08KH-02010104102	1,5	16	14	8	1,70	3,5	0,15	0,25	black	√	√	100	0,02
HI 1,5/10 ERHL (500 PCS)	E08KH-02010104200	1,5	16	16	10	1,70	3,5	0,15	0,25	red	–	–	500	0,09
HI 1,5/10 ERHL (100 PCS)	E08KH-02010104202	1,5	16	16	10	1,70	3,5	0,15	0,25	red	–	–	100	0,02
HI 1,5/10 DIN ERHL (500 PCS)	E08KH-02010104300	1,5	16	16	10	1,70	3,5	0,15	0,25	black	√	√	500	0,09
HI 1,5/10 DIN ERHL (100 PCS)	E08KH-02010104302	1,5	16	16	10	1,70	3,5	0,15	0,25	black	√	√	100	0,02
HI 1,5/12 ERHL (500 PCS)	E08KH-02010104400	1,5	16	18	12	1,70	3,5	0,15	0,25	red	–	–	500	0,09
HI 1,5/12 ERHL (100 PCS)	E08KH-02010104402	1,5	16	18	12	1,70	3,5	0,15	0,25	red	–	–	100	0,02

Date of publication: 21/10/2026


Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws.
Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights.
ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.

Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L_1	L_2	d_1	d_2	s_1	s_2	Insulation colour	DIN	UL	Quantity in package [pcs]	Weight [kg]
HI 1,5/12 DIN ERHL (500 PCS)	E08KH-02010104500	1,5	16	18	12	1,70	3,5	0,15	0,25	black	√	√	500	0,09
HI 1,5/12 DIN ERHL (100 PCS)	E08KH-02010104502	1,5	16	18	12	1,70	3,5	0,15	0,25	black	√	√	100	0,02
HI 1,5/18 ERHL (100 PCS)	E08KH-02010114501	1,5	16	24	18	1,70	3,5	0,15	0,25	red	–	–	100	0,02
HI 1,5/18 ERHL (500 PCS)	E08KH-02010104601	1,5	16	24	18	1,70	3,5	0,15	0,25	red	–	–	500	0,1
HI 1,5/18 DIN ERHL (500 PCS)	E08KH-02010104701	1,5	16	24	18	1,70	3,5	0,15	0,25	black	√	–	500	0,1
HI 1,5/18 DIN ERHL (100 PCS)	E08KH-02010114601	1,5	16	24	18	1,70	3,5	0,15	0,25	black	√	–	100	0,02
HI 2,5/8 ERHL (500 PCS)	E08KH-02010104900	2,5	14	14	8	2,20	4,2	0,15	0,25	blue	√	√	500	0,08
HI 2,5/8 ERHL (100 PCS)	E08KH-02010104902	2,5	14	14	8	2,20	4,2	0,15	0,25	blue	√	√	100	0,02
HI 2,5/8 F ERHL (500 PCS)	E08KH-02010104800	2,5	14	14	8	2,20	4,2	0,15	0,25	grey	–	–	500	0,08
HI 2,5/8 F ERHL (100 PCS)	E08KH-02010104802	2,5	14	14	8	2,20	4,2	0,15	0,25	grey	–	–	100	0,02
HI 2,5/10 ERHL (500 PCS)	E08KH-02010105000	2,5	14	16	10	2,20	4,2	0,15	0,25	blue	–	–	500	0,09
HI 2,5/10 ERHL (100 PCS)	E08KH-02010105002	2,5	14	16	10	2,20	4,2	0,15	0,25	blue	–	–	100	0,02
HI 2,5/10 F ERHL (500 PCS)	E08KH-02010105100	2,5	14	16	10	2,20	4,2	0,15	0,25	grey	–	–	500	0,09
HI 2,5/10 F ERHL (100 PCS)	E08KH-02010105102	2,5	14	16	10	2,20	4,2	0,15	0,25	grey	–	–	100	0,02
HI 2,5/12 ERHL (500 PCS)	E08KH-02010105200	2,5	14	18	12	2,20	4,2	0,15	0,25	blue	√	√	500	0,1
HI 2,5/12 ERHL (100 PCS)	E08KH-02010105202	2,5	14	18	12	2,20	4,2	0,15	0,25	blue	√	√	100	0,02
HI 2,5/12 F ERHL (500 PCS)	E08KH-02010105300	2,5	14	18	12	2,20	4,2	0,15	0,25	grey	–	–	500	0,1
HI 2,5/12 F ERHL (100 PCS)	E08KH-02010105302	2,5	14	18	12	2,20	4,2	0,15	0,25	grey	–	–	100	0,02
HI 2,5/18 ERHL (500 PCS)	E08KH-02010105401	2,5	14	24	18	2,20	4,2	0,15	0,25	blue	√	√	500	0,12
HI 2,5/18 ERHL (100 PCS)	E08KH-02010115301	2,5	14	24	18	2,20	4,2	0,15	0,25	blue	√	√	100	0,03
HI 2,5/18 F ERHL (500 PCS)	E08KH-02010105501	2,5	14	24	18	2,20	4,2	0,15	0,25	grey	–	–	500	0,12
HI 2,5/18 F ERHL (100 PCS)	E08KH-02010115401	2,5	14	24	18	2,20	4,2	0,15	0,25	grey	–	–	100	0,03
HI 4/10 ERHL (500 PCS)	E08KH-02010105600	4	12	17	10	2,80	4,8	0,20	0,30	grey	√	√	500	0,13
HI 4/10 ERHL (100 PCS)	E08KH-02010105602	4	12	17	10	2,80	4,8	0,20	0,30	grey	√	√	100	0,03
HI 4/10 F ERHL (500 PCS)	E08KH-02010105700	4	12	17	10	2,80	4,8	0,20	0,30	orange	–	–	500	0,13
HI 4/10 F ERHL (100 PCS)	E08KH-02010105702	4	12	17	10	2,80	4,8	0,20	0,30	orange	–	–	100	0,03
HI 4/12 ERHL (500 PCS)	E08KH-02010105800	4	12	20	12	2,80	4,8	0,20	0,30	grey	√	√	500	0,14
HI 4/12 ERHL (100 PCS)	E08KH-02010105802	4	12	20	12	2,80	4,8	0,20	0,30	grey	√	√	100	0,03
HI 4/12 F ERHL (500 PCS)	E08KH-02010105900	4	12	20	12	2,80	4,8	0,20	0,30	orange	–	–	500	0,14
HI 4/12 F ERHL (100 PCS)	E08KH-02010105902	4	12	20	12	2,80	4,8	0,20	0,30	orange	–	–	100	0,04
HI 4/18 ERHL (500 PCS)	E08KH-02010106000	4	12	26	18	2,80	4,8	0,20	0,30	grey	√	√	500	0,19
HI 4/18 ERHL (100 PCS)	E08KH-02010106002	4	12	26	18	2,80	4,8	0,20	0,30	grey	√	√	100	0,04
HI 4/18 F ERHL (500 PCS)	E08KH-02010106101	4	12	26	18	2,80	4,8	0,20	0,30	orange	–	–	500	0,19
HI 4/18 F ERHL (100 PCS)	E08KH-02010116001	4	12	26	18	2,80	4,8	0,20	0,30	orange	–	–	100	0,04
HI 6/10 ERHL (100 PCS)	E08KH-02010106131	6	10	18	10	3,50	6,3	0,20	0,30	black	–	–	100	0,04
HI 6/10 DIN ERHL (100 PCS)	E08KH-02010106151	6	10	18	10	3,50	6,3	0,20	0,30	yellow	–	–	100	0,04
HI 6/10 F ERHL (100 PCS)	E08KH-02010106181	6	10	18	10	3,50	6,3	0,20	0,30	green	–	–	100	0,04
HI 6/12 ERHL (100 PCS)	E08KH-02010106200	6	10	20	12	3,50	6,3	0,20	0,30	black	–	–	100	0,04
HI 6/12 DIN ERHL (100 PCS)	E08KH-02010106300	6	10	20	12	3,50	6,3	0,20	0,30	yellow	√	√	100	0,04
HI 6/12 F ERHL (100 PCS)	E08KH-02010106400	6	10	20	12	3,50	6,3	0,20	0,30	green	–	–	100	0,04
HI 6/15 ERHL (100 PCS)	E08KH-02010106440	6	10	23	15	3,50	6,3	0,20	0,30	black	–	–	100	0,05
HI 6/15 F ERHL (100 PCS)	E08KH-02010106480	6	10	23	15	3,50	6,3	0,20	0,30	green	–	–	100	0,05
HI 6/18 ERHL (100 PCS)	E08KH-02010106500	6	10	26	18	3,50	6,3	0,20	0,30	black	–	–	100	0,06
HI 6/18 DIN ERHL (100 PCS)	E08KH-02010106600	6	10	26	18	3,50	6,3	0,20	0,30	yellow	√	√	100	0,06
HI 6/18 F ERHL (100 PCS)	E08KH-02010106701	6	10	26	18	3,50	6,3	0,20	0,30	green	–	–	100	0,06
HI 10/12 ERHL (100 PCS)	E08KH-02010106800	10	8	22	12	4,50	7,6	0,20	0,40	ivory	–	–	100	0,06
HI 10/12 DIN ERHL (100 PCS)	E08KH-02010106900	10	8	22	12	4,50	7,6	0,20	0,40	red	√	√	100	0,06
HI 10/12 F ERHL (100 PCS)	E08KH-02010107001	10	8	22	12	4,50	7,6	0,20	0,40	brown	–	–	100	0,06
HI 10/15 ERHL (100 PCS)	E08KH-02010107101	10	8	24	15	4,50	7,3	0,20	0,60	ivory	–	–	100	0,07
HI 10/15 DIN ERHL (100 PCS)	E08KH-02010107201	10	8	24	15	4,50	7,3	0,20	0,60	red	–	–	100	0,07
HI 10/15 F ERHL (100 PCS)	E08KH-02010107301	10	8	24	15	4,50	7,3	0,20	0,60	brown	–	–	100	0,07
HI 10/18 ERHL (100 PCS)	E08KH-02010107400	10	8	28	18	4,50	7,6	0,20	0,40	ivory	–	–	100	0,07
HI 10/18 DIN ERHL (100 PCS)	E08KH-02010107500	10	8	28	18	4,50	7,6	0,20	0,40	red	√	√	100	0,07
HI 10/18 F ERHL (100 PCS)	E08KH-02010107601	10	8	28	18	4,50	7,6	0,20	0,40	brown	–	–	100	0,07
HI 16/12 ERHL (100 PCS)	E08KH-02010107700	16	6	24	12	5,80	8,8	0,20	0,40	green	–	–	100	0,07
HI 16/12 DIN ERHL (100 PCS)	E08KH-02010107800	16	6	24	12	5,80	8,8	0,20	0,40	blue	√	√	100	0,07
HI 16/12 F ERHL (100 PCS)	E08KH-02010107900	16	6	24	12	5,80	8,8	0,20	0,40	ivory	–	–	100	0,07
HI 16/18 ERHL (100 PCS)	E08KH-02010108000	16	6	28	18	5,80	8,8	0,20	0,40	green	–	–	100	0,09
HI 16/18 DIN ERHL (100 PCS)	E08KH-02010108100	16	6	28	18	5,80	8,8	0,20	0,40	blue	√	√	100	0,09
HI 16/18 F ERHL (100 PCS)	E08KH-02010108201	16	6	28	18	5,80	8,8	0,20	0,40	ivory	–	–	100	0,09
HI 25/16 ERHL (50 PCS)	E08KH-02010108300	25	4	30	16	7,30	11,2	0,20	0,40	brown	–	–	50	0,06
HI 25/16 DIN ERHL (50 PCS)	E08KH-02010108400	25	4	30	16	7,30	11,2	0,20	0,40	yellow	√	√	50	0,06
HI 25/16 F ERHL (50 PCS)	E08KH-02010108500	25	4	30	16	7,30	11,2	0,20	0,40	black	–	–	50	0,06


Date of publication: 21/10/2026

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws. Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights. ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.


Type	Index Ergom	Cross-section [mm²]	AWG cross-section	L_1	L_2	d_1	d_2	s_1	s_2	Insulation colour	DIN	UL	Quantity in package [pcs]	Weight [kg]
HI 25/22 ERHL (50 PCS)	E08KH-02010108600	25	4	36	22	7,30	11,2	0,20	0,40	brown	–	–	50	0,08
HI 25/22 DIN ERHL (50 PCS)	E08KH-02010108700	25	4	36	22	7,30	11,2	0,20	0,40	yellow	√	–	50	0,08
HI 25/22 F ERHL (50 PCS)	E08KH-02010108801	25	4	36	22	7,30	11,2	0,20	0,40	black	–	–	50	0,08
HI 35/16 ERHL (50 PCS)	E08KH-02010108900	35	2	30	16	8,30	12,7	0,20	0,40	beige	–	–	50	0,07
HI 35/16 DIN ERHL (50 PCS)	E08KH-02010109000	35	2	30	16	8,30	12,7	0,20	0,40	red	√	–	50	0,07
HI 35/18 ERHL (50 PCS)	E08KH-02010109031	35	2	30	18	8,30	12,7	0,20	0,40	beige	–	–	50	0,08
HI 35/18 DIN ERHL (50 PCS)	E08KH-02010109051	35	2	30	18	8,30	12,7	0,20	0,40	red	√	–	50	0,08
HI 35/25 ERHL (50 PCS)	E08KH-02010109100	35	2	39	25	8,30	12,7	0,20	0,40	beige	–	–	50	0,09
HI 35/25 DIN ERHL (50 PCS)	E08KH-02010109200	35	2	39	25	8,30	12,7	0,20	0,40	red	√	–	50	0,09
HI 50/20 ERHL (50 PCS)	E08KH-02010109300	50	1	36	20	10,30	15,0	0,30	0,50	olive	–	–	50	0,14
HI 50/20 DIN ERHL (50 PCS)	E08KH-02010109400	50	1	36	20	10,30	15,0	0,30	0,50	blue	√	–	50	0,14
HI 50/25 ERHL (50 PCS)	E08KH-02010109500	50	1	40	25	10,30	15,0	0,30	0,50	olive	–	–	50	0,16
HI 50/25 DIN ERHL (50 PCS)	E08KH-02010109600	50	1	40	25	10,30	15,0	0,30	0,50	blue	√	–	50	0,16
HI 70/20 ERHL (50 PCS)	E08KH-02010109700	70	2/0	37	20	13,50	16,0	0,40	0,60	yellow	–	–	50	0,2
HI 95/25 ERHL (25 PCS)	E08KH-02010109800	95	3/0	44	25	14,50	18,0	0,40	0,60	red	–	–	25	0,14
HI 120/27 ERHL (25 PCS)	E08KH-02010109900	120	4/0	48	27	16,50	20,0	0,45	0,70	blue	–	–	25	0,22
HI 150/32 ERHL (25 PCS)	E08KH-02010110000	150	300 MCM	58	32	19,50	23,0	0,50	1,00	yellow	–	–	25	0,29




1.1 - Crimping shape of ferrules: “square”



1.2 - Crimping shape of ferrules: “hexagon”



1.3 – Crimping shape of ferrules: “trapezoid ”



1.4 - Crimping shape of ferrules: “trapezoid with fangs”

Date of publication: 21/10/2026

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws. Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights. ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.